MISSOURI BOTANICAL GARDEN
PETER H. RAVEN LIBRARY



GEORGE ENGELMANN BOTANICAL NOTEBOOKS

Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Euphorbiae stipulatae anisophyllae

Minores parvifoliae, microspermae

Leiospermae

Integrifoliae

Glabrae

1. E. ocellata Dur. & Hilg. California, Hermann ⊙
2. E. polygonifolia Lin. Americ. sept. ad litora ⊙
3. E. petaloidea Engelm. α Nicolletii, ⊙
   β. intermedia
   γ. ~~Nuttallii~~ E. arenaria Nutt.
   δ flagelliformis Wright No. 1826
4. E. ammannioides HBK Cumana Humboldt. sem. globosa ⊙
   Panama Fendler 276
5. E. emarginata Kl. mss Brasilia Sellow = 4. sed semine angusto ⊙
6. E. Geyeri Engelm. Illinois ⊙
7. E. Cordifolia Ell S. Carolina – Texas ⊙
   β. parviflora S. Carolina
8. E. serpens HBK Cumana, Rio Jan. = E. herniarioides Nutt ⊙
   = E. radicans Mor.
9. E. serpyllifolia Pers ? Guadeloupe Balbis ♃
   Bahama
10. E. tristigmatica n. sp Mexico Gregg ♃
11. E. albomarginata Torr & Gr. Texas, New Mexico, California ♃
    Mexico

? = E. glaucescens HB Willd. 2987 = E. Kleinii Schlecht mss
ex India orient.

12. E. articulata HBK Santa Fe di Bogota ♃

cinereae

13. cinerascens melanadenia n. sp. N. Mexico – California Wright 1850 ♃

14 tomentella n. sp. Mexico Berlandier ♃

15 nummularia Hook f. Gallapagos

Serratae

glabrae

16. Peplis Lin Europa etc ⊙

rubescens Link

17 humifusa Willd herb. 9283. et. = pseudochamaesyce Fisch et Meyer ⊙
= confusa Bl. in hb Lugd. Asia Sibiria – Japan & Java
Zollinger 641.

pilosae

18 scabrella n. sp. provisor. Madras. in hb Delessert.

19 Serrula n. sp N. Mexico Fendler, Wright ⊙

formae intermediae, sub leiospermae, subintegrae
glabrae s. pubescentes

20. centunculoides HBK Cuba = serpens? ⊙?

21 polycarpa Benth California Sonora, Mexico ⊙

22 setiloba n. sp Sonora ⊙

fruticosae integrifoliae glabriusculae (semina?)

23. fruticulosa n. sp. Mexico, Gregg ♄

24 Magdalenae Benth. lower California ♄

25 Goliana Lam Isle de France & Bourbon ♄

6467

Melocact[illegible] [illegible] 17 Rippen

[illegible] 23 Rippen

oval; [illegible] 1 x 1½ [illegible]

[illegible]

Euph. globosa major
S. Africa

Involucr with 5 thick round connivent lobes and exteriorly 5 3 lobed and cyathifor glands with ~~groove~~ warts and pits



Cer. glaucus Brasil 4-5 [illegible]
Rippen — 10 Zoll lang [illegible]
Zoll dicke [illegible]

Blüth weiß – [illegible] sehr klein
1/2–1 Zoll – Areol 1 1/2–2 Zoll
entfernt.

Copernicia cerifera
Brasil

Carludovica palmata
Panama (Panama h

Towel gourd Luffa
aegyptiaca

Ohne Schirm [illegible] [illegible]

6468

May 1860

Euph. ~~de~~ Telephioid. Chapm! Fl. p. 402 humilior, foliis basi angustatis sessilib.,
obovatis s. oblanceolatis, marginatis, penninerviis, obtusis
s. mucronulatis; — caule dichotome cymoso, ~~b~~ bract. e basi
lata s. cordata ovatis-lanceolatis, pedicellis brevioribus,
glandul. etc — — fl. foem. calyculato lanceolato, stylis recurvis

Euph. inundata Torr. ap. Chapm. Fl. p. 402. elatior, fol. basi angustatis cordat.
sessil., lanceolat. acut., subuninerviis (immarginatis), erectis
caule dichotom. ramoso s. umbellam trifidam gerente, bracteis
e basi lata s. cordata ovato-lanceolatis, pedicellis elongatis,
glandulis etc., fl. foem. breviter calyculato, styl. recurv.

E. Floridana Chapm. Fl. p. 401 elatior, fol. basi latiore
subcordatis sessilibus (lanceolatis s. linearibus) acutatis fere
obtusiusculis reflexis; caule plerumque umbella
3–5 fida terminato bracteis cordatis, ovatis s.
ovato-lanceolatis; pedicellis abbreviatis, gland. etc
fl. foem. vexillo calyculi vestigio munito; styl.
erecto patul.

Floridanae ecarunculat? sphaerospermae? calyculatae??

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

6469

An Grisebach

Same von E. orbiculata.
Santa Fe di
Bogota

(stricta Spr & prostrata too near?
tenella

an Gray Scheer's Cactaceae

! Euph. centunculoides HB. K S. 98
no tenella HBK ~~=~~ no 102
! linearis Retz 87
! hirta L. (tomentosa?) 110
? Domingensis Spr ?
no callitrichoides = (tenella) HBK 101
? diffusa Jacq. = exigua
! orbiculata HBK 100
? repens Pers

is flexuosa HBK very E. didynama
?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6470

villosiflora

Ceph. sphaerosperma Shuttlw.
Aspalaga Florida, Rugel
= E. Floridana Chapm.

E. Rugeliana Shuttlw.
Florida Rugel
= E. Curtisii Engelm.

1838 E. exstipulata = 3B

1831 ~~E. hexagona Nutt.~~ ?

biloba

1820 E. revoluta

1832 E. trachysperma ?

1829 E. florida

1828 E. marginata

1827 E. Wrightii = (Drepanii C)

1825 Montana

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

6471

In Euphorb. Ipecacuanha L.
folia lanceolata vel
lineari lanceolata
describuntur.

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

6472

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Euphorbia portulacoides L. ??
ob folia ovalia, obtusa obsolete
emarginata, sed caulis desideratur
erectus!

Dr Schultes fil scripsit   monachi 1856

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

6473

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Euph. procumbens Link En. alt.
2. p. 11

= E. maculata (Hb. Willd. 9270)

= Schiede No. 47

Linnaea 5. p. 82

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

6474

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

Schiede No 45 E. calcitrapoides

fide Schlecht

l. c.

Linnaea V. 82

is = E. Burmanniana

Gay

cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

6475

copyright reserved
MISSOURI
BOTANICAL
GARDEN

1

E. microlepis F. & M. et Reliq. Lehmann

(Bunge) p. 491

Caruncula singularis fugax

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

6476

13

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN